RECEIVED CENTRAL FAX CENTER SEP 1 5 2006

AMENDMENTS TO CLAIMS

This listing of claims will replace all prior versions, or listings, of claims in the present application.

- (Currently Amended) A process for producing polymers comprising having repeating units derived from at least one isoolefin monomer, at least one multiolefin monomer and, optionally, further copolymerizable monomers comprising:[,]
 - providing at least one isoolefin monomer, at least one multiolefin monomer, and, optionally, further copolymerizable monomers; and
 - polymerizing the at least one isoolefin monomer, at least one multiolefin monomer, and, optionally, further copolymerizable monomers in the presence of from 5 to 500 ppm of at least one organic nitro containing compound and AlCl₃/water wherein the precess is conducted in the absence of compounds selected from the group consisting of variadium compounds, zirconium halogenid, and hafnium halogenides.
- (Currently Amended) <u>The A process according to Claim 1, wherein said organic nitro containing compound is of the general formula (I)</u>
 - $R-NO_2$ (I)

wherein R represents is selected from the group consisting of H, C_1 - C_{18} alkyl, C_3 - C_{18} cycloalkyl or C_8 - C_{24} cycloaryl.

- 3. (Canceled)
- 4. (Currently Amended) The A process according to Claim 1 any of the claims 1-3, wherein said at least one isoolefin monomer is isobutene.
- 5. (Currently Amended) The A process according to Claim 1 any of the claims 1-4, wherein said at least one multiolefin monomer is isoprene.

- (New) The process according to Claim 1, wherein said at least one multiolefin monomer is provided at a concentration of greater than 2.5 mol %.
- (New) The process according to Claim 1, wherein said at least one multiolefin monomer has a molecular weight M_w of greater than 240 kg/mol.
- (New) A polymer prepared according to Claim 1.
- 9. (New) The polymer of Claim 8, wherein the multiolefin content is greater than 2.5 mol. %.
- 10. (New) The polymer of Claim 8, wherein the multiolefin has a M_w of greater than 240 kg/mol.